




Atrium double focus – Sophisticated light for high rooms

Versatile, high lumen-output lighting technology – for illumination from large heights
Atrium double-focus luminaires are particularly suitable for high rooms, e.g. in foyers, public buildings and even sacred spaces. The cylindrical housing gains a striking design accent with the light-tight ventilation gap. Narrow downlight distributions generate precise lighting from large heights. In addition to recessed luminaires, Atrium also includes pendant luminaires with an optional indirect light component. All Atrium luminaires are

optionally available with black or silver anti-glare cone.



Atrium double focus Surface-mounted luminaires



Structure and characteristics
The features described here are typical of products in this range. Special versions may offer additional or varying features. A comprehensive description of the features of individual products can be found on our website.

1 ERCO Spherolit lensLight distributions: flood or wide flood

- 2 ERCO LED-module
 High-power LEDs: warm white
 (2700K or 3000K) or neutral white
 (3500K or 4000K)
- Collimating lens made of optical polymer

- 3 Cylinder
 White (RAL9002), black or silver
 Cut-off angle 30° or 40° from horizontal.
- Zontal.
 Aluminum profile, powder-coated, black or matt silver coated inside
 Cone: polymer, black
 Ceiling fixture: metal

4 Control gear - 0-10V dimmable

Variants on request
- Housing: 10,000 further colors
Please contact your ERCO consultant.



Design and application: www.erco.com/atrium-df-s

Atrium double focus Surface-mounted luminaires




Very high visual comfort ERCO has developed luminaires with special housing designs and highquality optical components specifically for demanding visual tasks to provide enhanced visual comfort.



Large lumen packages for very high illuminances The good glare control of the lens systems enables large lumen packages with high visual comfort.




Suitable for high rooms
Theaters, atria and lecture halls
are usually illuminated from the
ceiling and therefore from a large
height. Efficient lighting solutions
for high rooms have luminaires
that project the light precisely onto
the surface to be illuminated, in
this way avoiding spill light.



Atrium double focus Surface-mounted luminaires - Luminaire arrangement


Surface-mounted downlights Flood, Wide flood



General lighting
For uniform general lighting, the
luminaire spacing (d) between two
Atrium double focus downlights
can be half the height (h) of the
luminaire above the working plane
(rough guide).

Arrangement: d = h / 2


Application area: rooms with high ceilings, e.g. foyers or event halls.



The recommended offset from the wall is half the luminaire spacing.

Arrangement: a = d / 2

Atrium double focus Surface-mounted luminaires









University of Bath. Architecture: Hopkins (concept), AWW (realization). Electrical engineering: Hoare Lea. Photography: Martine Ferrera.